



1% HYDROCORTISONE



Fast-Acting, Anti-Itch Foam

Active: Hydrocortisone 1%
Inactive: cetyl alcohol, citric acid, diazolidinyl urea, disodium EDTA, iodopropynyl butylcarbamate, magnesium aluminum silicate, mineral oil, propylene glycol stearate, purified water, sodium citrate dihydrate, sodium lauryl sulfate, sorbitan monostearate, and white petrolatum

Temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to eczema, psoriasis, seborrheic dermatitis, soaps, and poison ivy, oak or sumac.

Adults and children 2 years of age and older: apply to affected area not more than 3 or 4 times daily.
 Children under 2 years of age: consult a physician.

ITCH-X Fast-Acting, Anti-Itch Moisturizing Foam is available in 3 fl oz cans.



Fast-Acting, Anti-Itch Lotion

Active: Hydrocortisone 1%
Inactive: cetyl alcohol, citric acid, diazolidinyl urea, disodium EDTA, iodopropynyl butylcarbamate, magnesium aluminum silicate, mineral oil, propylene glycol stearate, purified water, sodium citrate dihydrate, sodium lauryl sulfate, sorbitan monostearate, and white petrolatum

Temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to eczema, psoriasis, seborrheic dermatitis, soaps, and poison ivy, oak or sumac.

Adults and children 2 years of age and older: apply to affected area not more than 3 or 4 times daily.
 Children under 2 years of age: consult a physician.

ITCH-X Fast-Acting, Anti-Itch Moisturizing Lotion is available in 3 fl oz bottles.

1% PRAMOXINE HCL, 10% BENZYL ALCOHOL



Fast-Acting, Anti-Itch Gel

Active: Benzyl alcohol 10% and pramoxine HCl 1%
Inactive: aloe barbadensis leaf juice (aloe vera gel), butylene glycol, carbomer, diazolidinyl urea, blue 1, methylparaben, propylene glycol, propylparaben, SD alcohol 40, styrene/acrylates copolymer, triethanolamine and water

Temporarily relieves pain and itching associated with insect bites, minor burns, sunburn, minor cuts, scrapes, minor skin irritations, hives and rashes due to poison ivy, poison oak or poison sumac.

Adults and children 2 years of age and older: apply to affected area not more than 3 or 4 times daily.
 Children under 2 years of age: consult a physician.

ITCH-X Fast-Acting, Anti-Itch Gel is available in 1.25 oz tubes.



Fast-Acting, Anti-Itch Spray

Active (in solution): Benzyl alcohol 10% and pramoxine HCl 1%
Inactive: aloe barbadensis (aloe vera gel), SD alcohol 40, and water

Temporarily relieves pain and itching associated with insect bites, minor burns, sunburn, minor cuts, scrapes, minor skin irritations, hives and rashes due to poison ivy, poison oak or poison sumac.

Adults and children 2 years of age and older: apply to affected area not more than 3 or 4 times daily.
 Children under 2 years of age: consult a physician.

ITCH-X Fast-Acting, Anti-Itch Spray is available in 2 fl oz spray bottles.

INGREDIENTS

DESCRIPTION

DIRECTIONS

AVAILABILITY